



HMA I-LIFT 350

635XX-XXXXX-XXXXXXX



Variable height adjustable suspension arm for system connection above and below

- Default colours
 - Cover: RAL 7035 (Light grey)
 - Bearings: RAL 7016 (Anthracite grey)
 - Special colours on request
- Vertical swivel angle +40° / - 38° with continuously variable stroke limiter
- Hubarretierung mit Bedienerfreigabe (Option)
- Fine adjustment of the load capacity range (TLB) using adjusting screw
- Restraint-guided load suspension at head joint
- Internal cable ducting
- Low maintenance

Lift length	548 mm
Dead weight	13 kg
Cable duct	40 x 19 mm
Vertical stroke	510 mm (+260/-250)
Loading weight range	- 60 kg

HMA I-LIFT 350-1

6352X-71XXX-XXXXXXX



Kopflager HMA I-080 unten

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63521-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 5-10 kg, 12.6kg, Colours: RAL 7016, RAL 7035

Product code	Description
63521-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 5-10 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63522-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 7-13 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63522-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 7-13 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63523-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 13-21 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63523-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 13-21 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63524-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 18-28 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63524-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 18-28 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63525-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 26-37 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63525-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 26-37 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63526-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 36-52 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63526-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 36-52 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63527-71100-8707110	HMA I-Lift 350-1, 628 mm, TLB 45-60 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63527-71200-8707110	HMA I-Lift 350-1, 628 mm, TLB 45-60 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 350-2

6352X-72XXX-XXXXXXX



Kopflager HMA I-080 oben

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63521-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 5-10 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63521-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 5-10 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63522-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 7-13 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63522-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 7-13 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63523-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 13-21 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63523-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 13-21 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63524-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 18-28 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63524-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 18-28 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63525-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 26-37 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63525-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 26-37 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63526-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 36-52 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63526-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 36-52 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035

Product code	Description
63527-72100-8707110	HMA I-Lift 350-2, 628 mm, TLB 45-60 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63527-72200-8707110	HMA I-Lift 350-2, 628 mm, TLB 45-60 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 350-3

6353X-71XXX-XXXXXXX



Kopflager HMA I-130 unten

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63531-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 5-10 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63531-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 5-10 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63532-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 7-13 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63532-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 7-13 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63533-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 13-21 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63533-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 13-21 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63534-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 18-28 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63534-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 18-28 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63535-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 26-37 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63535-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 26-37 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63536-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 36-52 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63536-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 36-52 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63537-71100-8707110	HMA I-Lift 350-3, 678 mm, TLB 45-60 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63537-71200-8707110	HMA I-Lift 350-3, 678 mm, TLB 45-60 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 350-4

6353X-72XXX-XXXXXXX



Kopflager HMA I-130 oben

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63531-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 5-10 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63531-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 5-10 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63532-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 7-13 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63532-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 7-13 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63533-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 13-21 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63533-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 13-21 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63534-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 18-28 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63534-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 18-28 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63535-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 26-37 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63535-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 26-37 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63536-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 36-52 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63536-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 36-52 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035
63537-72100-8707110	HMA I-Lift 350-4, 678 mm, TLB 45-60 kg, 12.6kg, Colours: RAL 7016, RAL 7035
63537-72200-8707110	HMA I-Lift 350-4, 678 mm, TLB 45-60 kg, lockable, 12.6kg, Colours: RAL 7016, RAL 7035