



HMA I-LIFT 380

638XX-XXXXX-XXXXXX



Variable height adjustable suspension arm for system connection above and below with a large stroke

- Default colours
 - Cover: RAL 7035 (Light grey)
 - Bearings: RAL 7016 (Anthracite grey)
 - Special colours on request
- Vertical swivel angle $+40^{\circ}$ / -38° with continuously variable stroke limiter
- Stroke locking with operator release (option)
- Restraint-guided load suspension at head joint
- Fine adjustment of the load capacity range (TLB) using adjusting screw
- Internal cable ducting
- Low maintenance

Lift length	846 mm
Dead weight	15 kg
Cable duct	40 x 19 mm
Vertical stroke	890 mm (+450/-440)
Loading weight range	5 - 60 kg

HMA I-LIFT 380-1

6382X-71XXX-XXXXXXXX

Head joint HMA I-080 bottom

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request




Product code	Description
63821-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 5-10 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63821-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 5-10 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63822-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 7-13 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63822-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 7-13 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63823-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 13-21 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63823-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 13-21 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63824-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 18-28 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63824-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 18-28 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63825-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 26-37 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63825-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 26-37 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63826-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 36-52 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63826-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 36-52 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63827-71100-8707110	HMA I-Lift 380-1, 926 mm, TLB 45-60 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63827-71200-8707110	HMA I-Lift 380-1, 926 mm, TLB 45-60 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 380-2

6382X-72XXX-XXXXXXX

Head joint HMA I-080 top

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request



Product code	Description
63821-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 5-10 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63821-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 5-10 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63822-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 7-13 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63822-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 7-13 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63823-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 13-21 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63823-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 13-21 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63824-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 18-28 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63824-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 18-28 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63825-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 26-37 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63825-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 26-37 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63826-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 36-52 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63826-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 36-52 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63827-72100-8707110	HMA I-Lift 380-2, 926 mm, TLB 45-60 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63827-72200-8707110	HMA I-Lift 380-2, 926 mm, TLB 45-60 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 380-3

6383X-71XXX-XXXXXXX



Head joint HMA I-130 bottom

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63831-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 5-10 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63831-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 5-10 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63832-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 7-13 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63832-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 7-13 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63833-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 13-21 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63833-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 13-21 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63834-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 18-28 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63834-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 18-28 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63835-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 26-37 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63835-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 26-37 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63836-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 36-52 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63836-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 36-52 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63837-71100-8707110	HMA I-Lift 380-3, 976 mm, TLB 45-60 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63837-71200-8707110	HMA I-Lift 380-3, 976 mm, TLB 45-60 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035

HMA I-LIFT 380-4

6383X-72XXX-XXXXXXX



Head joint HMA I-130 top

- Default colours
 - RAL 7016 (Anthracite grey)
 - RAL 7035 (Light grey)
 - Special colours on request

Product code	Description
63831-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 5-10 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63831-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 5-10 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63832-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 7-13 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63832-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 7-13 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63833-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 13-21 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63833-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 13-21 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63834-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 18-28 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63834-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 18-28 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63835-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 26-37 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63835-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 26-37 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63836-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 36-52 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63836-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 36-52 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035
63837-72100-8707110	HMA I-Lift 380-4, 976 mm, TLB 45-60 kg, 16.3kg, Colours: RAL 7016, RAL 7035
63837-72200-8707110	HMA I-Lift 380-4, 976 mm, TLB 45-60 kg, lockable, 16.3kg, Colours: RAL 7016, RAL 7035